

GOVERNMENT OF MYSORE STORES PURCHASE COMMITTEE,  
BANGALORE.

*Notice No. S.P.C. 2076, dated the 19th August 1925.*

1. Sealed tenders will be received in the Office of the undersigned up to 12 noon on Monday the 21st September 1925 for the maintenance materials required for the Mysore Electrical Department during the year 1925-26.

2. The approximate quantities and description of articles are given in the attached schedule and tenders should be sent in the form of that schedule duly noting in the column left blank the rate at which each article will be supplied. The cover should bear the superscription "Tender for the supply of Miscellaneous Materials for the Electrical Department."

3. The rates should be inclusive of the cost of delivery at the Office of the Chief Store Keeper, Electrical Department, Central Stores, C. P. S., Bangalore, and should hold good for a period of 17 days from the date fixed for opening the tenders. The whole of the quantity of the articles should be supplied within a month from the date of acceptance of the tender.

4. The earnest money of Rs. 100 in the form of cheques on the Mysore or Imperial Banks or in currency notes should accompany the tender without which the tender will not be considered.

5. Final acceptance of the tender will rest with the Stores Purchase Committee who do not bind themselves to accept the lowest or any tender or to assign any reason whatsoever for the rejection of any tender. If any tenderer withdraws from his tender before the acceptance or rejection of his tender is communicated to him or when the tender is accepted fails to deposit the security amount and execute an agreement for the due fulfilment of the contract, his earnest money will be forfeited to Government.

6. The name of the successful tenderer will be notified in due course and he will be required to deposit as security, one-tenth of the value of the tender amount and to execute an agreement for the due fulfilment of the contract within eight days of the intimation of the acceptance of the tender. The earnest money on rejected tenders will be returned.

7. In case of dispute as to whether the materials are according to specifications the decision of the Stores Purchase Committee shall be final.

SCHEDULE.

| Sl. No.              | Description                                                                           | Quantity |
|----------------------|---------------------------------------------------------------------------------------|----------|
| BELLS.               |                                                                                       |          |
| 1                    | Bell Extension for Telephones. ....                                                   | 6 Nos.   |
| ELECTRICAL FITTINGS. |                                                                                       |          |
| 2                    | Bulbs, Mazda, 20 watts, 110-115 volts, metal filament, bayonet cap                    | 317 doz. |
| 3                    | Bulbs, Mazda, 40 watts, 110-115 volts, M.F., B.C.                                     | 12 "     |
| 4                    | Bulbs, Mazda, 60 watts do                                                             | 56 "     |
| 5                    | Bulbs, Mazda, M.F., B.C., 20 watts, 220/230 volts                                     | 334 "    |
| 6                    | Do 40 do                                                                              | 6 "      |
| 7                    | Do 60 do                                                                              | 57 "     |
| 8                    | Bulbs, Mazda, or Osram, carbon filament, B.C., 16 C.P., 220 volts                     | 12 "     |
| 9                    | Bulbs, Mazda or Osram, metal filament, screw base, 16 C.P.                            | 1 "      |
| 10                   | Do Carbon filament                                                                    | 12 "     |
| 11                   | Bulbs, 550 watt, $\frac{1}{2}$ watt, Moghul screw base, 110/115 volts                 | 27 "     |
| 12                   | Do do 220 volts                                                                       | 1 "      |
| 13                   | Do do 1,000 watts                                                                     | 3 "      |
| 14                   | Shades fancy glass, octagonal, bell shaped for Bayonet Cap lamp holders, ice etched.  | 1 "      |
| 15                   | Shades fancy glass, octagonal, bell shaped for Bayonet Cap lamp holders, frosted.     | 1 "      |
| 16                   | Shades fancy glass, octagonal, bell shaped for Bayonet Cap lamp holders, rose tinted. | 1 "      |
| 17                   | Plugs wall with nipples or pin plugs porcelain                                        | 2 "      |
| 18                   | Knobs porcelain split, L.B.                                                           | 4 "      |
| 19                   | Sockets or lamp holders, B.C. with cord grip, English make                            | 42 "     |
| 20                   | Sockets Moghul screw base for 500 watt, $\frac{1}{2}$ watt lamps                      | 3 "      |

## SCHEDULE—contd.

| Sl. No. | Description                                                                                                  | Quantity   |
|---------|--------------------------------------------------------------------------------------------------------------|------------|
| 21      | Staples "Blackes" insulated $\frac{1}{4}$ "                                                                  | 16 doz.    |
| 22      | Blocks vulcanite 3" x 3"                                                                                     | 16 "       |
| 23      | Switches tumbler 5 amp. capacity                                                                             | 32 "       |
| 24      | Do do double pole                                                                                            | 12 "       |
| 25      | Switches tumbler 10 amp. do                                                                                  | 6 "        |
| 26      | Wire insulated No. 2 B & S. rubber insulation, 2,500 megohm grade 600 volt pressure, in coils of 500' each.  | 1000'      |
| 27      | Wire insulated No. 4 B & S. rubber insulation, 2,500 megohm grade 600 volt pressure, in coils of 500' each.  | 500'       |
| 28      | Wire insulated No. 6 B & S. rubber insulation, 2,500 megohm grade 600 volt pressure, in coils of 500' each.  | 8,000'     |
| 29      | Wire insulated No. 8 B & S. rubber insulation, 2,500 megohm grade 600 volt pressure, in coils of 500' each.  | 6,000'     |
| 30      | Wire insulated No. 10 B & S. rubber insulation, 2,500 megohm grade 600 volt pressure, in coils of 500' each. | 8,000'     |
| 31      | Wire insulated No. 12 B & S. rubber insulation, 2,500 megohm grade 600 volt pressure, in coils of 500' each. | 14,500'    |
| 32      | Wire insulated No. 14 B & S. rubber insulation, 2,500 megohm grade 600 volt pressure, in coils of 500' each. | 17,000'    |
| 33      | Wire insulated No. 16 B & S. rubber insulation, 2,500 megohm grade 600 volt pressure, in coils of 500' each. | 2,500'     |
| 34      | Wire insulated No. 18 B & S. rubber insulation, 2,500 megohm grade 600 volt pressure, in coils of 500' each. | 1,000'     |
| 35      | Wire insulated No. 7/20 B.S. rubber insulation, 2,500 megohm grade 600 volt pressure, in coils of 500' each. | 2,000'     |
| 36      | Wire insulated N. 6 B & S. H.T. for 3,000 volts                                                              | 500'       |
| 37      | Do No. 8 B & S do                                                                                            | 500'       |
| 38      | Cable No. 10 B & S. for 5,000 volts V.I.R., double braided weather proof                                     | 2,000'     |
| 39      | Wire fixtures, Henley's 3/25 S.W.G. rubber insulated for 600 volts 2,500 megohm grade.                       | 2,000'     |
| 40      | Teak wood Casing and Capping 2 way 2" x 1"                                                                   | 2,500'     |
| 41      | Do do 3 do                                                                                                   | 100'       |
| 42      | Glants porcelain 2" long, 2 way                                                                              | 500 pairs. |
| 43      | Link clips with shades P-225                                                                                 | 288 Nos.   |
| 44      | Bushings wooden 5/8" for conduit                                                                             | 398 "      |
| 45      | Conduit brazed 5/8"                                                                                          | 650 ft.    |
| 46      | Conduit split 5/8"                                                                                           | 100 "      |
| 47      | Gloves, Rubber, best English or American make, size 10, suitable for 5,000 volts pressure A.C.               | 18 prs.    |
| 48      | Cambric insulation cloth $\frac{1}{4}$ "                                                                     | 12 rolls   |
| 49      | Do do $\frac{3}{4}$ "                                                                                        | 12 "       |
| 50      | Cut-outs porcelain, single pole, a 30 amp. G.E. Cat. No. 62509                                               | 50 Nos.    |
| 51      | Renewable fuse holders with fuses 30 amp. capacity                                                           | 100 "      |
| 52      | Fuses, spare, for the above                                                                                  | 50 "       |
| 53      | Renewable fuse holders with fuses 60 amp. capacity                                                           | 75 "       |
| 54      | Fibre rods 3" dia                                                                                            | 5 lbs.     |
| 55      | Do 2 $\frac{1}{2}$ " dia                                                                                     | 3 "        |
| 56      | Do 2" dia                                                                                                    | 3 "        |
| 57      | Ebony rods 3" dia                                                                                            | 5 "        |
| 58      | Do 2 $\frac{1}{2}$ " dia                                                                                     | 5 "        |
| 59      | Do 2" dia                                                                                                    | 5 "        |
| 60      | Do 1 $\frac{1}{2}$ " dia                                                                                     | 5 "        |
| 61      | Do 1" dia                                                                                                    | 5 "        |
| 62      | Do $\frac{3}{4}$ " dia                                                                                       | 3 "        |
| 63      | Do 5/8" dia                                                                                                  | 2 "        |
| 64      | Do $\frac{1}{2}$ " dia                                                                                       | 2 "        |
| 65      | Do 3/8" dia                                                                                                  | 2 "        |
| 66      | Do $\frac{1}{4}$ " dia                                                                                       | 1 "        |
| 67      | Do 1/8" dia                                                                                                  | 1 "        |
| 68      | Fuse plugs with cartridge fuse, 3 amp.                                                                       | 6 dozs     |
| 69      | Do do 6 amp.                                                                                                 | 3 "        |
| 70      | Do do 10 amp.                                                                                                | 3 "        |
| 71      | Do do 15 amp.                                                                                                | 3 "        |
| 72      | Do do 20 amp.                                                                                                | 4 "        |
| 73      | Do do 25 amp.                                                                                                | 3 "        |
| 74      | Do do 30 amp.                                                                                                | 3 "        |
| 75      | Do do 35 amp.                                                                                                | 3 "        |
| 76      | Do do 40 amp.                                                                                                | 3 "        |

SCHEDULE.—*contd.*

| Sl. No.    | Description                                                                                                        | Quantity    |
|------------|--------------------------------------------------------------------------------------------------------------------|-------------|
| 77         | Fuge plugs with cartridge fuse 45 amp. ..                                                                          | 3 dozens.   |
| 78         | Do do 50 amp. ..                                                                                                   | 2 "         |
| 79         | Fuse wire $\frac{1}{2}$ amp. ....                                                                                  | 1 lb.       |
| 80         | Do 1 amp. ....                                                                                                     | 1 "         |
| 81         | Do 2 amp. ....                                                                                                     | 1 "         |
| 82         | Do 3 amp. ....                                                                                                     | 3 "         |
| 83         | Do 5 amp. ....                                                                                                     | 2 "         |
| 84         | Do 10 amp. ....                                                                                                    | 2 "         |
| 85         | Do 15 amp. ....                                                                                                    | 3 "         |
| 86         | Do 20 amp. ....                                                                                                    | 3 "         |
| 87         | Do 25 amp. ....                                                                                                    | 3 "         |
| 88         | Do 30 amp. ....                                                                                                    | 2 "         |
| 89         | Do 50 amp. ....                                                                                                    | 3 "         |
| 90         | Do 75 amp. ....                                                                                                    | 3 "         |
| 91         | Do 100 amp. ....                                                                                                   | 2 "         |
| 92         | Brass rods $1\frac{1}{2}$ " dia. ....                                                                              | 10 "        |
| 93         | Do 1" dia. ....                                                                                                    | 10 "        |
| 94         | Do $\frac{7}{8}$ " dia. ....                                                                                       | 5 "         |
| 95         | Do $\frac{3}{4}$ " dia. ....                                                                                       | 3 "         |
| 96         | Do $\frac{5}{8}$ " dia. ....                                                                                       | 2 "         |
| 97         | Do $\frac{1}{2}$ " dia. ....                                                                                       | 2 "         |
| 98         | Do $\frac{3}{8}$ " dia. ....                                                                                       | 1 "         |
| 99         | Do $\frac{1}{4}$ " dia. ....                                                                                       | 1 "         |
| 100        | Switch knife, double pole, single throw, 30 amp. without fuse arrangements, mounted on slate base.                 | 36 Nos.     |
| 101        | Switch knife, double pole, single throw, 60 amp. without fuse arrangements, mounted on slate base.                 | 6           |
| 102        | Switch knife, double pole, single throw, 30 amp. with fuse arrangements, mounted on slate base.                    | 6           |
| 103        | Switch knife, tripple pole, single throw, with fuse arrangements, 60 amp. mounted on slate base.                   | 6 "         |
| 104        | Switch knife, tripple pole, single throw, with fuse arrangements, 100 amp. mounted on slate base.                  | 2 "         |
| 105        | Switch knife, tripple pole, single throw, 100 amp. without fuse arrangement..                                      | 2 "         |
| 106        | Knife switch, double pole, single throw, 60 amp. with fuse arrangements, mounted on slate base.                    | 6 "         |
| 107        | Cells dry "Obach" 2 volts ....                                                                                     | 72 "        |
| 108        | Rods zinc for No. 2 Lechlanche cells ....                                                                          | 900 "       |
| 109        | Wire galvanized No. 6 B & S ..                                                                                     | 1,000 lbs.  |
| 110        | Jars glass No. 2 for Lechlanche cells ..                                                                           | 100 Nos.    |
| 111        | Pots Porus for .. do ..                                                                                            | 300 "       |
| 112        | Fuses for telephone lighting arrestors, No. 12-A ..                                                                | 150 "       |
| 113        | Micro telephone cords—No. 4059-B. four conductor, bronze tinsel, green mercerised cotton covering braided overall. | 6 "         |
| 114        | Fuses for telephone lightning arrestors, No. 11-C ..                                                               | 50 "        |
| 115        | No. 2 type combined signal and jack ..                                                                             | 10 "        |
| 116        | Micro telephone cord, complete No. 1005 ( <i>vide</i> item No. 149 for description)..                              | 2 "         |
| 117        | Mouth pieces for telephones, No. 4001, for Western Electric Co.'s telephones..                                     | 12 "        |
| 118        | Do do No. 40401 do ..                                                                                              | 4 "         |
| 119        | No. 47 plugs with cords 4'—6" ..                                                                                   | 1 dozen,    |
| 120        | Protector block No. 1 ..                                                                                           | 50 Nos.     |
| 121        | Do No. 2 ..                                                                                                        | 50 "        |
| 122        | Wire insulated, varnished cambric for 2500 volts pressure, stranded, 2500 megohm grade, 7/16 or 6 B & S.           | 1,500 ft.   |
| 123        | Wire insulated, varnished cambric for 2500 volts pressure, stranded, 2500 megohm grade, 7/17 or 8 B & S.           | 1,500 "     |
| 124        | Wire insulated, varnished cambric for 2500 volts pressure, stranded, 2500 megohm grade, 7/18 or 9 B & S.           | 7,500 "     |
| 125        | Wire galvanized No. 22 B. W. G. motor sealing wire ..                                                              | 46 lbs.     |
| 126        | Wire galvanized, 7 strand, $\frac{3}{8}$ " dia. ....                                                               | 10,000 ft.  |
| 127        | Tape copper $1" \times \frac{1}{8}"$ ..                                                                            | 10,000 lbs. |
| 128        | Acme tape $\frac{1}{2}"$ ..                                                                                        | 30 rolls    |
| 129        | Do $\frac{3}{4}"$ ..                                                                                               | 12 "        |
| GLASSWARE, |                                                                                                                    |             |
| 130        | Gauge glasses, best make, $8" \times \frac{3}{4}"$ ..                                                              | 12 Nos      |
| 131        | Do do $8" \times 1"$ ..                                                                                            | 12 "        |

SCHEDULE.—*contd.*

| Sl. No.                            | Description                                                                                              | Quantity    |
|------------------------------------|----------------------------------------------------------------------------------------------------------|-------------|
| 132                                | Panes glass 14" x 12" x $\frac{1}{8}$ " thick                                                            | 84 Nos.     |
| 133                                | Do 18" x 12" x do                                                                                        | 60 "        |
| 134                                | Do 12" x 13" x do                                                                                        | 60 "        |
| 135                                | Do 16" x 12" x do                                                                                        | 72 "        |
| 136                                | Do 20" x 16" x do                                                                                        | 72 "        |
| 137                                | Panes glass 15" x 10" x do                                                                               | 72 "        |
| 138                                | Do 19" x 13" x do                                                                                        | 60 "        |
| 139                                | Do 14" x 10" x do                                                                                        | 72 "        |
| 140                                | Do 10" x 10" x do                                                                                        | 60 "        |
| 141                                | Do 18" x 14" x do                                                                                        | 60 "        |
| 142                                | Do 12" x 12" x do                                                                                        | 60 "        |
| 143                                | Do 16" x 10" x do                                                                                        | 60 "        |
| 144                                | Do 16" x 13" x do                                                                                        | 60 "        |
| 145                                | Do 16" x 18" x do                                                                                        | 12 "        |
| 146                                | Do 14" x 14" x do                                                                                        | 62 "        |
| 147                                | Do 20" x 18" x do                                                                                        | 6 "         |
| 148                                | Do 15" x 13" x do                                                                                        | 60 "        |
| DRAWING AND SURVEYING INSTRUMENTS. |                                                                                                          |             |
| 149                                | Transparent set squares 45°—8"                                                                           | 1 "         |
| 150                                | Do do 60°—10"                                                                                            | 1 "         |
| 151                                | Parallel ruler brass 12", page 352—Richardson & Cruddas Catalogue                                        | 1 "         |
| 152                                | "T" square spanish mahogany taper blade edged with ebony 42" page 352 of Richardson & Cruddas Catalogue. | 1 "         |
| 153                                | "T" square spanish mahogany taper blade edged with ebony 32" page 352 of Richardson & Cruddas Catalogue. | 1 "         |
| OILS—SPECIALS.                     |                                                                                                          |             |
| 154                                | Acid Muriatic—Chemically pure                                                                            | 5 lbs.      |
| 155                                | Acid Sulphuric do in jars of 42 lbs. each                                                                | 714 "       |
| 156                                | Spirit methylated—quart bottles                                                                          | 60 bottles  |
| HARDWARE.                          |                                                                                                          |             |
| 157                                | Pipes galvanised 4"                                                                                      | 100 Rft.    |
| 158                                | Do $\frac{1}{2}$ "                                                                                       | 20 "        |
| 159                                | Do $\frac{3}{4}$ "                                                                                       | 350 Rft.    |
| 160                                | Do 1"                                                                                                    | 400 "       |
| 161                                | Do 1 $\frac{1}{2}$ "                                                                                     | 200 "       |
| 162                                | Do 2"                                                                                                    | 450 "       |
| 163                                | Taps Brass or Bib Cocks screw down $\frac{1}{2}$ "                                                       | 24 Nos.     |
| 164                                | Do do do 1"                                                                                              | 24 "        |
| 165                                | W. I. Pipe $\frac{1}{2}$ " dia.                                                                          | 2,500 feet  |
| 166                                | W. I. Pipe $\frac{3}{4}$ " hole                                                                          | 50 "        |
| 167                                | Tube copper 1/16" thick $\frac{1}{2}$ " hole                                                             | 50 "        |
| 168                                | Do do $\frac{1}{2}$ " hole                                                                               | 25 "        |
| 169                                | Do do $\frac{3}{4}$ " hole                                                                               | 25 "        |
| 170                                | Do do 1" hole                                                                                            | 25 "        |
| 171                                | Nails wire iron 1 $\frac{1}{2}$ " long, No. 10 B & S gauge thickness                                     | 50 lbs.     |
| 172                                | Do 2" long, No. 7 do do                                                                                  | 100 "       |
| 173                                | Do 5" long, No. 2 do do                                                                                  | 20 "        |
| 174                                | Do 6" long, No. 2 do do                                                                                  | 20 "        |
| 175                                | Iron angle M. S. 2" x 2" x $\frac{1}{4}$ " in standard lengths of 16' to 18'                             | 90 lengths. |
| 176                                | Do 2 $\frac{1}{2}$ " x 2 $\frac{1}{2}$ " x $\frac{1}{4}$ " do                                            | 70 "        |
| 177                                | Do 2 $\frac{1}{2}$ " x 2 $\frac{1}{2}$ " x $\frac{1}{2}$ " do                                            | 10 "        |
| 178                                | Do 2" x 2" x $\frac{1}{2}$ " do                                                                          | 10 "        |
| 179                                | Iron flat M. S. 1 $\frac{1}{2}$ " x $\frac{1}{4}$ " in standard lengths of 16' to 18'                    | 25 "        |
| 180                                | Do 1 $\frac{1}{2}$ " x $\frac{1}{4}$ " do                                                                | 10 "        |
| 181                                | Do 2" x $\frac{1}{4}$ " do                                                                               | 50 "        |
| 182                                | Do 2 $\frac{1}{2}$ " x $\frac{1}{4}$ " do                                                                | 10 "        |
| 183                                | Do 2" x $\frac{3}{8}$ " do                                                                               | 20 "        |
| 184                                | Iron strap 2" x $\frac{3}{8}$ "                                                                          | 200 feet.   |
| 185                                | Do 2" x $\frac{1}{2}$ "                                                                                  | 150 "       |
| 186                                | Do 2 $\frac{1}{2}$ " x $\frac{1}{2}$ "                                                                   | 100 "       |
| 187                                | Iron washers $\frac{3}{8}$ " hole                                                                        | 100 Nos.    |
| 188                                | Do $\frac{1}{2}$ " hole                                                                                  | 100 "       |

## SCHEDULE—contd.

| Sl. No. | Description                                                                                                     | Quantity    |
|---------|-----------------------------------------------------------------------------------------------------------------|-------------|
| 189     | Iron bar round M. S. $\frac{1}{2}$ " dia. in standard lengths                                                   | 10 lengths. |
| 190     | Do $\frac{3}{4}$ " do                                                                                           | 125 "       |
| 191     | Do $\frac{1}{2}$ " do                                                                                           | 16 "        |
| 192     | Do $\frac{3}{8}$ " do                                                                                           | 22 "        |
| 193     | Do $\frac{1}{4}$ " do                                                                                           | 5 "         |
| 194     | Brass sheet $1/16$ " x $4'$ x $4'$                                                                              | 1 sheets.   |
| 195     | Do $1/32$ " x $4'$ x $4'$                                                                                       | 1 "         |
| 196     | Do $1/8$ " x $2'$ x $2'$                                                                                        | 1 "         |
| 197     | Do $3/8$ " x $2'$ x $2'$                                                                                        | 1 "         |
| 198     | Asbestos sheet $40$ " x $40$ " x $1/8$ "                                                                        | 250 lbs.    |
| 199     | Do $4'$ x $4'$ x $1/8$ "                                                                                        | 150 "       |
| 200     | Cloth Emery No. 00; James Johnsons & Sons                                                                       | 75 sheets.  |
| 201     | Do No. 0 do                                                                                                     | 170 "       |
| 202     | Do No. $\frac{1}{2}$ do                                                                                         | 180 "       |
| 203     | Do No. 1 do                                                                                                     | 180 "       |
| 204     | Do No. $1\frac{1}{2}$ do                                                                                        | 95 "        |
| 205     | Do No. 2 do                                                                                                     | 180 "       |
| 206     | Cloth sylvet $18$ " x $18$ "                                                                                    | 18 pieces.  |
| 207     | Do $12$ " x $12$ "                                                                                              | 12 "        |
| 208     | Leather Chrome tanned hide $\frac{1}{4}$ " thick of best quality (Mysore Tannery)                               | 200 lbs.    |
| 209     | Leather chamois $18$ " x $18$ "                                                                                 | 12 pieces.  |
| 210     | Polish Metal "Globe" mark, in 1 lb. tins                                                                        | 6 tins.     |
| 211     | Polish metal, brass in 1 lb. tins                                                                               | 100 lbs.    |
| TOOLS.  |                                                                                                                 |             |
| 212     | Blades Hacksaw Star Brand, Starret's $12$ " x $\frac{1}{2}$ "                                                   | 250 Nos.    |
| 213     | Do do $12$ " x $1$ "                                                                                            | 100 "       |
| 214     | Bits Twist Drill square taper shank $\frac{1}{2}$ " shank for ratchet size $3/8$ " x $5/8$ " x $1\frac{1}{2}$ " | 2 "         |
| 215     | Do do $5/16$ " x $5/8$ " x $1\frac{1}{2}$ "                                                                     | 2 "         |
| 216     | Do do $3/8$ " x do                                                                                              | 2 "         |
| 217     | Do do $7/16$ " do                                                                                               | 2 "         |
| 218     | Do do $\frac{1}{2}$ " do                                                                                        | 2 "         |
| 219     | Do do $9/16$ " do                                                                                               | 2 "         |
| 220     | Do do $5/8$ " do                                                                                                | 2 "         |
| 221     | Do do $11/16$ " do                                                                                              | 2 "         |
| 222     | Do do $\frac{3}{4}$ " do                                                                                        | 2 "         |
| 223     | Do do $13/16$ " do                                                                                              | 2 "         |
| 224     | Do do $7/8$ " do                                                                                                | 2 "         |
| 225     | Do do $15/16$ " do                                                                                              | 2 "         |
| 226     | Do do $1$ " do                                                                                                  | 2 "         |
| 227     | Bill hooks, English Make                                                                                        | 12 "        |
| 228     | Bits Twist drill for drilling machine, round tapered standard shank $\frac{1}{2}$ "                             | 3 "         |
| 229     | Do do do $3/16$ "                                                                                               | 3 "         |
| 230     | Do do do $5/16$ "                                                                                               | 3 "         |
| 231     | Do do do $3/8$ "                                                                                                | 3 "         |
| 232     | Do do do $5/8$ "                                                                                                | 3 "         |
| 233     | Do do do $7/16$ "                                                                                               | 3 "         |
| 234     | Do do do $\frac{1}{2}$ "                                                                                        | 1 "         |
| 235     | Do do do $9/16$ "                                                                                               | 3 "         |
| 236     | Do do do $11/16$ "                                                                                              | 3 "         |
| 237     | Do do do $15/16$ "                                                                                              | 3 "         |
| 238     | Brace Ratchet carpenters with ball bearings                                                                     | 2 "         |
| 239     | Blow torches Gasoline                                                                                           | 2 "         |
| 240     | Cans oil brazed steel $\frac{1}{2}$ pint Manning Maxwell and Moore Cat. Page 845                                | 18 "        |
| 241     | Drilling machine $2'$ or $2\frac{1}{2}'$                                                                        | 1 "         |
| 242     | Cutters Pipe to cut $\frac{1}{2}$ " to $2$ "                                                                    | 1 "         |
| 243     | Files Flat Bestard, $16$ "                                                                                      | 3 "         |
| 244     | Do $14$ "                                                                                                       | 20 "        |
| 245     | Do $12$ "                                                                                                       | 20 "        |
| 246     | Do $10$ "                                                                                                       | 16 "        |
| 247     | Do $8$ "                                                                                                        | 20 "        |
| 248     | Do $6$ "                                                                                                        | 6 "         |
| 249     | Files Flat Smooth, $14$ " best make                                                                             | 18 "        |
| 250     | Do $12$ " do                                                                                                    | 28 "        |
| 251     | Do $10$ " do                                                                                                    | 12 "        |
| 252     | Do $8$ " do                                                                                                     | 23 "        |
| 253     | Do $6$ " do                                                                                                     | 24 "        |

## SCHEDULE—contd.

| Sl. No. | Description                                                                                                                                                | Quantity |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 254     | Files Half-Round Rough, 14" Best make                                                                                                                      | 6 Nos.   |
| 255     | Do 12" do                                                                                                                                                  | 20 "     |
| 256     | Do 10" do                                                                                                                                                  | 12 "     |
| 257     | Do 8" do                                                                                                                                                   | 12 "     |
| 258     | Do 6" do                                                                                                                                                   | 12 "     |
| 259     | Files Half-Round Smooth 14" do                                                                                                                             | 14 "     |
| 260     | Do 12" do                                                                                                                                                  | 15 "     |
| 261     | Do 10" do                                                                                                                                                  | 15 "     |
| 262     | Do 8" do                                                                                                                                                   | 15 "     |
| 263     | Do 6" do                                                                                                                                                   | 15 "     |
| 264     | Files Round, 16" Rough best make                                                                                                                           | 2 "      |
| 265     | Do 14" do                                                                                                                                                  | 15 "     |
| 266     | Do 12" do                                                                                                                                                  | 6 "      |
| 267     | Do 10" do                                                                                                                                                  | 12 "     |
| 268     | Files knife 8" smooth, best make                                                                                                                           | 3 "      |
| 269     | Files rat tail 6" rough do                                                                                                                                 | 12 "     |
| 270     | Files square 12" rough                                                                                                                                     | 6 "      |
| 271     | Files Triangular 12" rough best make                                                                                                                       | 6 "      |
| 272     | Do 12" smooth do                                                                                                                                           | 6 "      |
| 273     | Files triangular 8" smooth, best make                                                                                                                      | 6 "      |
| 274     | Do 6" do                                                                                                                                                   | 16 "     |
| 275     | Do 4" do                                                                                                                                                   | 12 "     |
| 276     | Files round, smooth, 16" do                                                                                                                                | 2 "      |
| 277     | Do 12" do                                                                                                                                                  | 5 "      |
| 278     | Files, square, 8", rough. do                                                                                                                               | 4 "      |
| 279     | Do 12" smooth do                                                                                                                                           | 4 "      |
| 280     | Files, square, 10" smooth, best                                                                                                                            | 3 "      |
| 281     | Files warding, 4" rough                                                                                                                                    | 6 "      |
| 282     | Do 6" smooth                                                                                                                                               | 6 "      |
| 283     | Files assorted of size, watch makers                                                                                                                       | 12 "     |
| 284     | Dies and taps $\frac{1}{2}$ " to $\frac{1}{16}$ " best make                                                                                                | 1 set.   |
| 285     | Foot rules steel M. M. $\frac{1}{2}$ " meter long                                                                                                          | 1 Nos.   |
| 286     | Do 1" do                                                                                                                                                   | 1 "      |
| 287     | Foot rules wooden zig-zag 6"                                                                                                                               | 6 "      |
| 288     | Foot rule, 2', 4 fold, $\frac{3}{4}$ " wide                                                                                                                | 12 "     |
| 289     | Frame Hack saw 12"                                                                                                                                         | 3 "      |
| 290     | Jack plane 14"                                                                                                                                             | 1 "      |
| 291     | Pliers side cutting 6", English                                                                                                                            | 3 "      |
| 292     | Do 9" do                                                                                                                                                   | 6 "      |
| 293     | Pliers, Gas English                                                                                                                                        | 3 "      |
| 294     | Spanner single ended for $\frac{3}{8}$ " dia. bolts, nuts                                                                                                  | 2 "      |
| 295     | Do do $\frac{1}{2}$ " do                                                                                                                                   | 3 "      |
| 296     | Do do $\frac{5}{8}$ " do                                                                                                                                   | 3 "      |
| 297     | Do do $\frac{3}{4}$ " do                                                                                                                                   | 2 "      |
| 298     | Do do $\frac{7}{8}$ " do                                                                                                                                   | 2 "      |
| 299     | Do do 1" do                                                                                                                                                | 2 "      |
| 300     | Pulley block, double sheave $\frac{1}{2}$ "                                                                                                                | 2 "      |
| 301     | Do do $\frac{5}{8}$ "                                                                                                                                      | 2 "      |
| 302     | Do do $\frac{3}{4}$ "                                                                                                                                      | 2 "      |
| 303     | Scale weighing platform, to weight 1 ton, with weights                                                                                                     | 1 "      |
| 304     | Scale triangular 12" (Stanley's)                                                                                                                           | 1 "      |
| 305     | Square carpenter 12"                                                                                                                                       | 2 "      |
| 306     | Saw hand 18"                                                                                                                                               | 2 "      |
| 307     | Spanners or wrenches monkey with wooden handle 12" or (Coes wrenches)                                                                                      | 3 "      |
| 308     | Do do do 10" with iron handle                                                                                                                              | 6 "      |
| 309     | Thermometer 100° C., with eye at the top                                                                                                                   | 2 "      |
| 310     | Thermometer 150° C.                                                                                                                                        | 2 "      |
| 311     | Wheel emery 10" x 2" " Bull dog brand " with 1" bore, rough                                                                                                | 6 "      |
| 312     | Do 12" x 3" do do                                                                                                                                          | 1 "      |
| 313     | Do 12" x 3" do smooth                                                                                                                                      | 1 "      |
| 314     | Wheels emery " Bull dog Brand " $8\frac{1}{2}$ " dia., 6 bore, $1\frac{1}{2}$ " breadth $1\frac{1}{4}$ " thick for Twist Drill sharpening machine, rough.  | 1 "      |
| 315     | Wheels emery " Bull dog Brand " $8\frac{1}{2}$ " dia., 6 bore, $1\frac{1}{2}$ " breadth $1\frac{1}{4}$ " thick for Twist Drill sharpening machine, smooth. | 1 "      |
| 316     | Water grinding stone 12"                                                                                                                                   | 1 "      |
| 317     | Tools steel round 1" dia.                                                                                                                                  | 2 feet.  |
| 318     | Do $\frac{1}{2}$ " dia.                                                                                                                                    | 3 "      |

SCHEDULE—*concl'd.*

| Sl. No. | Description                                                  | Quantity |
|---------|--------------------------------------------------------------|----------|
| 319     | Tools steel round $\frac{1}{2}$ " dia. ... ..                | 4 feet.  |
| 320     | Do $\frac{3}{8}$ " dia. ... ..                               | 4 "      |
| 321     | Do $\frac{1}{4}$ " dia. ... ..                               | 4 "      |
| 322     | Chisel carpenter, $\frac{3}{4}$ ", fish mark ... ..          | 3 Nos.   |
| 323     | Do 1" do ... ..                                              | 3 "      |
| 324     | Do $1\frac{1}{2}$ " do ... ..                                | 3 "      |
| 325     | Do $1\frac{1}{2}$ " do ... ..                                | 3 "      |
| 326     | Do 2" do ... ..                                              | 3 "      |
| 327     | Spanner double end $\frac{3}{8}$ " x $\frac{5}{16}$ " ... .. | 3 "      |
| 328     | Do $\frac{3}{8}$ " x $\frac{9}{16}$ " ... ..                 | 3 "      |
| 329     | Do $\frac{1}{2}$ " x $\frac{9}{16}$ " ... ..                 | 3 "      |
| 330     | Do $\frac{5}{8}$ " x $\frac{9}{16}$ " ... ..                 | 3 "      |
| 331     | Grinding stone 24" x 4", smooth ... ..                       | 1 "      |
| 332     | Do do rough ... ..                                           | 1 "      |

By Order,  
M. S. RAMACHANDRA RAO,  
Secretary, Stores Purchase Committee.

## PRIVATE ADVERTISEMENTS.

## IN THE COURT OF THE DISTRICT JUDGE AT MYSORE.

*Miscellaneous Case No. 111 of 1924-25.*

Bommegowda, son of Manchegowda, inhabitant of Kaggere, Yedatore  
Taluk, Mysore District ... .. *Petitioner.*

Application for the appointment of guardian to the person and the property of Chikputta,  
a minor inhabitant of Boregowdanakoppal in Hunsur Taluk.

The petitioner abovenamed having applied to be appointed as the guardian of the person and the property of the aforesaid minor, the 4th day of September 1925, has been fixed for the hearing of the application, and notice is hereby given to public that if any other relative, friend, kinsmen or well-wisher of the aforesaid minor, desire to be appointed or declared as guardian of the person and the property of the said minor, he should enter appearance in person in this Court on the aforesaid date, and be prepared to adduce on that day, any documentary and oral evidence he may desire to adduce in support of his claim to such appointment or declaration.

Given under my hand and the seal of this Court, this 25th day of August 1925.

S. VENKATAKRISHNAIYA,  
District Judge.

## IN THE COURT OF THE SUBORDINATE JUDGE AT BANGALORE.

*Insolvency Application No. 20 of 1924-25.*

Chitlar Nanjundiah Setti ... .. *Petitioner.*  
vs.

(1) Messrs. Kanduri Lakshmiah Narasimhiah and Company by Kanduri  
Lakshmiah, (2) Maggaji Jehar Mull Sait and 22 others ... *Opponents.*

Whereas the petitioner has applied to this Court, by a petition, dated 4th of September 1924, to be declared an insolvent under the Mysore Insolvency Regulation, VI of 1911, and your name appears in the list of creditors filed by the aforesaid debtor, this is to give you notice that the Court has fixed the 9th day of October 1925, for the hearing of the aforesaid petition and the examination of the debtor. If you desire to be represented in the matter, you should attend in person or by duly instructed pleader.